


# *ROSE*



**ANY QUESTIONS?**

[technik@rosebikes.com](mailto:technik@rosebikes.com)




ROSE Bikes GmbH  
Schersweide 4  
46395 Bocholt, Germany

# *REVEAL*

**AL FRAME DETAILS**

# REVEAL

## AL FRAME DETAILS




POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
1	frame	color: matte black	2317226
		color: salted caramel	2317227
2	fork	color: matte black	2317248
		color: salted caramel	2317249
3	seatpost clamp	3 pieces + fixing screw M6 x 20 mm	2303413
4	derailleur hanger	standard	2297412
		direct mount	2297413
5	rubber plug	screw head cover brake mount	2274682
6	rubber ring	dirt seal seat tube	2256912

GREASE	DYNAMIC GALLI BEARING 100 g	49217800
	DYNAMIC GALLI BEARING 400 g	49217900
CARBON ASSEMBLY PASTE	for example DYNAMIC, Art. Nr. 25377201	

# REVEAL

## AL FRAME DETAILS



## FRAME GEOMETRY

SIZE		45	48	51	53	55	57	59	61	63	65
SEATTUBE LENGTH [MM]	A	420	445	475	495	505	515	535	560	580	605
TOPTUBE LENGTH HORIZONTAL [MM]	B	497	508	521	533	545	558	572	588	606	626
HEAD TUBE ANGLE	C	71°		71.5°	72°		72.5°	72.75°	73°	73.25°	73.5°
SEAT TUBE ANGLE	D	75°		74.5°	74.25°	74°	73.75°	73.5°	73.25°	73°	72.75°
WHEELBASE [MM]	E	963	975	973	980.5	993.5	999.5	1010	1026	1038	1058
FRONT CENTER [MM]	F	566	578	580.5	586	595.5	601.5	611	621.5	634	647.5
REAR CENTER [MM] (CHAINSTAY LENGTH)	G	404		406		409		414		420	
HEADTUBE LENGTH [MM]	H	120	140	133	147	163	180	193	210	228	245
STACK [MM]	I	493	512	533	548	563	581	591.5	608.5	627	644
REACH [MM]	J	365	371	373	378.5	383.5	388.5	397	405	414.5	426
BB DROP [MM]	K	59		73			70				
STANDOVER HEIGHT [MM]	L	698	720	758	775	793	811	829	847	865	882

## FRAME INTERFACES

BOTTOM BRACKET	Shimano: SM-BB72-41B Pressfit
HEADSET	ACROS, Art. Nr. 232407801
REAR WHEEL AXLE	142x12 mm, 163 mm length, M12x1.5 mm
REAR BRAKE MOUNT	160 mm Flatmount
MAX Ø DISC	160 mm
Ø SEATPOST	27.2 mm
MAX. TIRE SIZE	28": 32 mm / 650B: 28 mm
MAX. CHAINRING SIZE	50 / 34
FRONT DERAILLEUR MOUNT	yes
BOTTLE CAGE	yes, 2x

## FORK INTERFACES

FRONT WHEEL AXLE	100x12 mm, 121 mm length, M12x1.5 mm
FRONT BRAKE MOUNT	160 mm Flatmount
MAX Ø DISC	160 mm
MAX. TIRE SIZE	28": 32 mm / 650B: 28 mm
LOWRIDER MOUNT	not compatible
BOTTLE CAGE	no

MAX SYSTEM WEIGHT (RIDER + BICYCLE + CLOTHING + GEAR + LUGGAGE): 110 KG  
 INTENDED USE: DIN 17406 CATEGORY 2