


# *ROSE*



**ANY QUESTIONS?**

[rosebikes.de/support](http://rosebikes.de/support)


ROSE Bikes GmbH  
Schersweide 4  
46395 Bocholt, Germany

## *COUNT SOLO*

**FRAME DETAILS**  
MODELYEAR > 2017

# COUNT SOLO


## FRAME DETAILS



POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
1	derailleur hanger	ROSE Nr. 57	226447901
2	derailleur hanger screw		
3	cable guide for vario seatpost		2053307
4	plug		2035596

# COUNT<sup>SOLO</sup>

## FRAME DETAILS



### FRAME GEOMETRY

		SIZE XS	SIZE S	SIZE M	SIZE L	SIZE XL
SEAT TUBE LENGTH	A	370	420	450	485	530
TOP TUBE LENGTH	B	565	580	605	630	650
HEAD TUBE LENGTH	C	100	110		120	135
HEAD TUBE ANGLE	D	68.5	69	69.5		
SEAT TUBE ANGLE	E	73	73.5	74		74.5
BB DROP	F	-52			-65	
CHAIN STAY LENGTH	G	425			435	
WHEEL BASE	H	1066	1082	1125	1151	1177.6
REACH	K	386	403	425	448	464
STACK	L	585	597	625	636	650
BB HEIGHT	M	306			311	
STANDOVER HEIGHT	N	725	759	792	815	847
TRAVEL FRONT		100				

### FRAME INTERFACES

BOTTOM BRACKET	BSA 73 mm
HEADSET	ZS44 / 56, for example Art. Nr. 225871501
REAR WHEEL AXLE	QR 9 mm x 135 mm
REAR BRAKE MOUNT	PM 160
MAX. Ø REAR BRAKE DISC	180 mm
Ø SEAT TUBE	31.6 mm / internal dropper compatible
Ø SEAT POST CLAMP	34.9 mm, for example Rose Bolt 34.9 mm, Art. Nr. 226113802
MAX. TIRE WIDTH	2.25"
WHEEL SIZE	S: 27.5" / M - XL: 29"
MAX. CHAINRING SIZE	38 T
REAR HUB SPACING	QR 9 mm x 135 mm

MAX SYSTEM WEIGHT (RIDER + BICYCLE + CLOTHING + GEAR + LUGGAGE): 120 KG